```
============================================================
Sequence Listing was accepted.
See attached Validation Report.
If you need help call the Patent Electronic Business Center at (866)
217-9197 (toll free).
Reviewer: Durreshwar Anjum
Timestamp: [year=2007; month=11; day=25; hr=8; min=58; sec=15; ms=96; ]
============================================================
```

Application No: 10540443   Version No: 1.0

Input Set:

Output Set:

Started: 2007-10-31 14:10:03.390
Finished: 2007-10-31 14:10:06.403
Elapsed: 0 hr(s) 0 min(s) 3 sec(s) 13 ms
Total Warnings: 35
Total Errors: 16
No. of SeqIDs Defined: 35
Actual SeqID Count: 35

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
E 257	Invalid sequence data feature in <221> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
E 257	Invalid sequence data feature in <221> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
E 257	Invalid sequence data feature in <221> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
E 257	Invalid sequence data feature in <221> in SEQ ID (16)

```
        Input Set:


        Output Set:


            Started:  2007-10-31 14:10:03.390
           Finished:  2007-10-31 14:10:06.403
            Elapsed:  0 hr(s) 0 min(s) 3 sec(s) 13 ms
     Total Warnings:  35
       Total Errors:  16
No. of SeqIDs Defined:  35
  Actual SeqID Count:   35
```

Error code	Error Description

```
W  213      Artificial or Unknown found in <213>  in SEQ ID (17)

E  257      Invalid sequence data feature in <221>  in SEQ ID (17)

W  213      Artificial or Unknown found in <213>  in SEQ ID (18)

W  213      Artificial or Unknown found in <213>  in SEQ ID (19)

W  213      Artificial or Unknown found in <213>  in SEQ ID (20)
             This error has occured more than 20 times, will not be displayed

E  257      Invalid sequence data feature in <221>  in SEQ ID (23)

E  257      Invalid sequence data feature in <221>  in SEQ ID (24)

E  257      Invalid sequence data feature in <221>  in SEQ ID (25)

E  257      Invalid sequence data feature in <221>  in SEQ ID (26)

E  257      Invalid sequence data feature in <221>  in SEQ ID (27)

E  257      Invalid sequence data feature in <221>  in SEQ ID (28)

E  257      Invalid sequence data feature in <221>  in SEQ ID (29)

E  257      Invalid sequence data feature in <221>  in SEQ ID (30)

E  257      Invalid sequence data feature in <221>  in SEQ ID (31)

E  257      Invalid sequence data feature in <221>  in SEQ ID (32)

E  257      Invalid sequence data feature in <221>  in SEQ ID (33)
```

<110> Polt, Robin
       Bilsky, Edward

<120> GLYCOSYLATED ENKEPHALIN AGENTS

<130> 920214.00005

<140> 10540443
<141> 2007-10-31

<150> PCT/US2004/005843
<151> 2004-02-24

<150> US 60/449,989
<151> 2003-02-25

<160> 35

<170> PatentIn version 3.3

<210> 1
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Classic motif for opioid receptor binding

<400> 1

Tyr Gly Gly Phe
1

<210> 2
<211> 5
<212> PRT
<213> Artificial

<220>
<223> Met-Enkephalin

<400> 2

Tyr Gly Gly Phe Met
1   5

<210> 3
<211> 5
<212> PRT
<213> Artificial

<220>

<223> Leu-Enkephalin

<400> 3

Tyr Gly Gly Phe Leu
1   5

<210> 4
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Dynorphin A

<400> 4

Tyr Gly Gly Phe Leu Arg Arg Ile Arg Pro Lys Leu Lys Trp Asn Asn
1   5   10   15

Gln

<210> 5
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Dynorphin B

<400> 5

Tyr Gly Gly Phe Leu Arg Arg Gln Phe Lys Val Val Thr
1   5   10

<210> 6
<211> 8
<212> PRT
<213> Artificial

<220>
<223> Alpha-Neoendorphin

<400> 6

Tyr Gly Gly Phe Leu Arg Lys Tyr
1   5

<210> 7
<211> 9
<212> PRT

<213> Artificial

<220>
<223> Beta-Neoendorphin

<400> 7

Tyr Gly Gly Phe Leu Arg Lys Tyr Pro
1   5

<210> 8
<211> 31
<212> PRT
<213> Artificial

<220>
<223> Beta h-Endorphin

<400> 8

Tyr Gly Gly Phe Met Thr Ser Glu Lys Ser Gln Thr Pro Leu Val Thr
1   5   10   15

Leu Phe Lys Asn Ala Ile Ile Lys Asn Ala Tyr Lys Lys Gly Glu
            20   25   30

<210> 9
<211> 25
<212> PRT
<213> Artificial

<220>
<223> Peptide E

<400> 9

Tyr Gly Gly Phe Met Arg Arg Val Gly Arg Pro Glu Trp Trp Met Asp
1   5   10   15

Tyr Gln Lys Arg Tyr Gly Gly Phe Leu
            20   25

<210> 10
<211> 13
<212> PRT
<213> Artificial

<220>
<223> Peptide F

<400> 10

Gly Gly Glu Val Leu Gly Lys Arg Tyr Gly Gly Phe Met
1   5   10

<210> 11
<211> 17
<212> PRT
<213> Artificial

<220>
<223> Nociceptin

<400> 11

Phe Gly Gly Phe Leu Arg Arg Ile Arg Pro Lys Leu Lys Trp Asn Asn
1   5   10   15

Gln

<210> 12
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Deltorphin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (7)..(7)
<223> contains CONH2

<400> 12

Tyr Met Phe His Leu Met Asp
1   5

<210> 13
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Dermorphins

<220>

<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> MOD_RES
<222> (7)..(7)
<223> contains CONH2

<400> 13

Tyr Ala Phe Gly Tyr Pro Ser
1   5

<210> 14
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Morphiceptin

<220>
<221> MOD_RES
<222> (4)..(4)
<223> contains CONH2

<400> 14

Tyr Pro Phe Pro
1

<210> 15
<211> 7
<212> PRT
<213> Artificial

<220>
<223> Beta-Casomorphin

<400> 15

Tyr Pro Phe Pro Gly Pro Ile
1   5

<210> 16
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Endomorphin-1

<220>
<221> MOD_RES
<222> (4)..(4)
<223> contains CONH2

<400> 16

Tyr Pro Trp Phe
1

<210> 17
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Endomorphin-2

<220>
<221> MOD_RES
<222> (4)..(4)
<223> contains CONH2

<400> 17

Tyr Pro Phe Phe
1

<210> 18
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Rubiscolin-6

<400> 18

Tyr Pro Leu Asp Leu Phe
1   5

<210> 19
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Motif for opioid receptor binding having a D-amino acid

<220>
<221> MISC_FEATURE

<210> 19 *(continued)*

<222> (2)..(2)
<223> D-amino acid

<400> 19

Tyr Cys Gly Phe
1

<210> 20
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Motif for opioid receptor binding having a D-amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<400> 20

Tyr Ala Gly Phe
1

<210> 21
<211> 4
<212> PRT
<213> Artificial

<220>
<223> Motif for opioid receptor binding having a D-amino acid

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<400> 21

Tyr Thr Gly Phe
1

<210> 22
<211> 6
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

```
<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid


<400>  22

Tyr Thr Gly Phe Leu Ser
1                   5



<210>  23
<211>  6
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic enkephalin



<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid

<220>
<221>  MOD_RES
<222>  (6)..(6)
<223>  contains (b-Glc) CONH2


<400>  23

Tyr Thr Gly Phe Leu Ser
1                   5



<210>  24
<211>  6
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic enkephalin



<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid

<220>
<221>  MOD_RES
<222>  (6)..(6)
<223>  contains (a-Man) CONH2


<400>  24
```

Tyr Thr Phe Gly Leu Ser
1   5

<210>   25
<211>   6
<212>   PRT
<213>   Artificial

<220>
<223>   Synthetic enkephalin

<220>
<221>   MISC_FEATURE
<222>   (2)..(2)
<223>   D-amino acid

<220>
<221>   MOD_RES
<222>   (6)..(6)
<223>   contains (b-Lactose) CONH2

<400>   25

Tyr Thr Gly Phe Leu Ser
1   5

<210>   26
<211>   6
<212>   PRT
<213>   Artificial

<220>
<223>   Synthetic enkephalin

<220>
<221>   MISC_FEATURE
<222>   (2)..(2)
<223>   D-amino acid

<220>
<221>   MOD_RES
<222>   (6)..(6)
<223>   contains (b-Glc) CONH2

<400>   26

Tyr Thr Gly Phe Leu Ser
1   5

<210>   27
<211>   6

```
<212>   PRT
<213>   Artificial

<220>
<223>   Synthetic enkephalin


<220>
<221>   MISC_FEATURE
<222>   (2)..(2)
<223>   D-amino acid

<220>
<221>   MOD_RES
<222>   (6)..(6)
<223>   contains (b-Maltose) CONH2

<400>   27

Tyr Thr Gly Phe Leu Ser
1                   5


<210>   28
<211>   6
<212>   PRT
<213>   Artificial

<220>
<223>   Synthetic enkephalin


<220>
<221>   MISC_FEATURE
<222>   (2)..(2)
<223>   D-amino acid

<220>
<221>   MOD_RES
<222>   (6)..(6)
<223>   (b-Maltotriose) CONH2

<400>   28

Tyr Thr Gly Phe Leu Ser
1                   5


<210>   29
<211>   6
<212>   PRT
<213>   Artificial

<220>
<223>   Synthetic enkephalin
```

```
<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid


<220>
<221>  MOD_RES
<222>  (6)..(6)
<223>  contains (b-Xyl) CONH2


<400>  29

Tyr Thr Gly Phe Leu Ser
1                     5



<210>  30
<211>  6
<212>  PRT
<213>  Artificial


<220>
<223>  Synthetic enkephalin



<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid


<220>
<221>  MOD_RES
<222>  (6)..(6)
<223>  contains (b-Melibiose) CONH2


<400>  30

Tyr Thr Gly Phe Leu Ser
1                     5



<210>  31
<211>  17
<212>  PRT
<213>  Artificial


<220>
<223>  Synthetic enkephalin



<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid


<220>
<221>  misc_feature
```

```
<222>  (16)..(16)
<223>  Xaa can be any naturally occurring amino acid


<220>
<221>  MOD_RES
<222>  (17)..(17)
<223>  contains CONH2


<400>  31

Tyr Thr Gly Phe Leu Pro Asn Leu Asx Glu Lys Ala Leu Lys Ser Xaa
1               5                   10                  15



Leu




<210>  32
<211>  17
<212>  PRT
<213>  Artificial

<220>
<223>  Synthetic enkephalin


<220>
<221>  MISC_FEATURE
<222>  (2)..(2)
<223>  D-amino acid

<220>
<221>  MISC_FEATURE
<222>  (6)..(6)
<223>  beta-alanine

<220>
<221>  misc_feature
<222>  (16)..(16)
<223>  Xaa can be any naturally occurring amino acid

<220>
<221>  MOD_RES
<222>  (17)..(17)
<223>  contains CONH2


<400>  32

Tyr Thr Gly Phe Leu Ala Asn Leu Asx Glu Lys Ala Leu Lys Ser Xaa
1               5                   10                  15



Leu
```

<210> 33
<211> 18
<212> PRT
<213> Artificial

<220>
<223> Synthetic enkephalin

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> D-amino acid

<220>
<221> misc_feature
<222> (17)..(17)
<223> Xaa can be any naturally occurring amino acid

<220>
<221> MOD_RES
<222> (18)..(18)
<223> contains CONH2

<400> 33

Tyr Thr Gly Phe Leu Gly Gly Asn Leu Asx Glu Lys Ala Leu Lys Ser
1   5   10   15

Xaa Leu

<210> 34
<211> 5
<212> PRT
<213> Artificial

<220>
<223> General motif for opiod receptor binding having a D-amino acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid

<400> 34

Tyr Xaa Gly Phe Leu
1   5

<210> 35
<211> 6
<212> PRT

<210> Artificial

<220>
<223> General motif for opiod receptor binding having a D-amino acid

<220>
<221> misc_feature
<222> (2)..(2)
<223> Xaa can be any naturally occurring amino acid

<400> 35

Tyr Xaa Gly Phe Leu Ser
1   5